



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

from the foreign office, 1,072 cases of cholera, followed by 387 deaths, were reported between October 15 and 22, distributed throughout Russia. The Government of Kharkow, the dispatch adds, is declared threatened with the epidemic.

#### TUNIS.

##### *Report from Tunis—Outbreak of plague.*

Consul Proux reports, November 2:

Bubonic plague has broken out, owing to importation of fiber from Oran. The factory men have been attacked by the disease and several deaths have occurred. The factory has been destroyed by fire and no fresh cases of plague have occurred during the last 3 days.

#### WEST INDIES.

##### *Yellow fever on the Island of Barbados.*

Information was received from the Department of State, November 25, of the occurrence of 7 cases and 4 deaths of yellow fever on the Island of Barbados. Of these cases all but 1 were from the British cruiser *Indefatigable*. The *Indefatigable* sailed for Halifax.

#### FOREIGN AND INSULAR STATISTICAL REPORTS OF COUNTRIES AND CITIES— UNTABULATED.

AUSTRALIA—*New South Wales—New Castle.*—Month of September, 1907. Estimated population, 51,400. Total number of deaths, 50, including measles 1, whooping cough 3, and 4 from tuberculosis.

BRAZIL—*São Paulo, Santos, and Campinas.*—Week ended September 29, 1907. Estimated population, 300,000. Total number of deaths, 179, including measles 3, whooping cough 1, and 11 from tuberculosis.

Week ended October 6, 1907. Total number of deaths, 161, including beriberi 1, whooping cough 2, and 18 from tuberculosis.

Week ended October 13, 1907. Total number of deaths, 172, including leprosy 1, measles 5, whooping cough 1, and 15 from tuberculosis.

*San Salvador.*—Month of July, 1907. Estimated population, 265,000. Total number of deaths, 385, including enteric fever 1, beriberi 4, smallpox 1, whooping cough 1, and 54 from tuberculosis.

CUBA—*Matanzas.*—Forty days ended October 31, 1907. Estimated population, 49,990. Total number of deaths, 109, including enteric fever 2, yellow fever 3, whooping cough 2, and 17 from tuberculosis.

FRANCE—*Calais.*—Month of October, 1907. Estimated population, 66,627. Total number of deaths, 113, including whooping cough 1 and 18 from tuberculosis.

*Marseille.*—Month of October, 1907. Estimated population, 517,498. Total number of deaths, 773, including diphtheria 6, enteric fever 41, measles 1, scarlet fever 3, smallpox 23, whooping cough 1, and 88 from tuberculosis.

*St. Etienne.*—Two weeks ended October 15, 1907. Estimated population, 150,000. Total number of deaths, 112, including whooping cough 1, enteric fever 1, and 15 from tuberculosis.

GIBRALTAR.—Two weeks ended November 10, 1907. Estimated population, 27,385. Total number of deaths, 11, including 1 from enteric fever.

GREAT BRITAIN—*England and Wales.*—The deaths registered in 76 great towns in England and Wales during the week ended November 2, 1907, correspond to an annual rate of 15.7 per 1,000 of population, which is estimated at 16,024,458.

*London.*—One thousand three hundred and ninety deaths were registered during the week, including measles 22, scarlet fever 22, diphtheria 21, enteric fever 2, whooping cough 18, tuberculosis 178, and 40 from diarrhea. The deaths from all causes correspond to an annual rate of 15.2 per 1,000. In Greater London 1,892 deaths were registered. In the "outer ring" the deaths included 5 from diphtheria, 4 from measles, 2 from scarlet fever, and 2 from whooping cough.

*Ireland.*—The average annual death rate represented by the deaths registered during the week ended November 2, 1907, in the 21 principal town districts of Ireland was 19 per 1,000 of the population, which is estimated at 1,117,547. The lowest rate was recorded in Newry, viz, 4.2, and the highest in Armagh, viz, 41.2 per 1,000. In Dublin and suburbs 169 deaths were registered, including diphtheria 1, enteric fever 2, measles 1, scarlet fever 1, and 28 from tuberculosis.

*Scotland.*—The deaths registered in 8 principal towns during the week ended November 2, 1907, correspond to an annual rate of 16.4 per 1,000 of the population, which is estimated at 1,812,171. The highest rate of mortality was recorded in Dundee, viz, 20.8, and the lowest in Perth, viz, 13.5 per 1,000. The aggregate number of deaths registered from all causes was 570, including diphtheria 9, enteric fever 2, measles 32, and 11 from whooping cough.

HAWAII—*Honolulu.*—Month of October, 1907. Census population, 39,306. Total number of deaths, 65, including diphtheria 1, enteric fever 1, and 13 from tuberculosis.

ITALY—*Genoa.*—Month of September, 1907. Estimated population, 273,011. Total number of deaths, 325, including enteric fever 8, diphtheria 1, scarlet fever 1, smallpox 1, and 53 from tuberculosis.

JAMAICA.—*Kingston.*—Month of October, 1907. Estimated population, 52,065. Total number of deaths, 109, including enteric fever 3, and 8 from phthisis pulmonalis.

**JAPAN—Formosa.**—Two weeks ended October 19, 1907. Estimated population, 3,050,004. Total number of deaths not reported. Three deaths from enteric fever.

**MALTA.**—Three weeks ended October 26, 1907. Estimated population, 206,689. Total number of deaths, 249, including diphtheria 8, enteric fever 1, measles 1, and 7 from tuberculosis.

**MAURITIUS.**—Month of August, 1907. Estimated population, 375,400. Total number of deaths, 1,287, including plague 4, enteric fever 1, whooping cough, 1, and 7 from tuberculosis.

**SPAIN—Barcelona.**—Ten days ended October 31, 1907. Estimated population, 600,000. Total number of deaths, 311, including diphtheria 5, enteric fever 20, and 28 from tuberculosis.

**WEST INDIES—Curaçao.**—Two weeks ended November 8, 1907. Estimated population, 31,600. Total number of deaths, 13. No deaths from contagious diseases reported.

*Cholera, yellow fever, plague, and smallpox from June 28 to November 29, 1907.*

[Reports received by the Surgeon-General, Public Health and Marine-Hospital Service, from American consuls, through the Department of State and from other sources.]

[For reports received from December 28, 1906, to June 28, 1907, see PUBLIC HEALTH REPORTS for June 28, 1907.]

[NOTE.—In accordance with custom, the tables of epidemic diseases are terminated semiannually and new tables begun.]

#### CHOLERA.

Place.	Date.	Cases.	Deaths.	Remarks.
Algeria—Algiers .....	Aug. 1-31 .....	.....	2	Quarantined without the city limits.
Ceylon—Point de Galle.....	June 16-22 .....	.....	2	
China:				
Amoy .....	June 30-July 6 .....	.....	.....	Kulangsü, 8 deaths daily, estimated. Aug. 3, still present.
Hankow .....	Aug. 24-Sept. 14 .....	7	4	
Hongkong .....	Sept. 8-14 .....	1	.....	
Shanghai .....	Aug. 4-Sept. 29 .....	23	467	
Shanhaikwan .....	Sept. 2 .....	.....	.....	Present on R. R. to Tongshan. 3 cases and 2 deaths from steamship from Shanghai.
Tientsin .....	Aug. 15-Oct. 5 .....	.....	11	Burma Province, 1906, 7,872 deaths.
India .....				
Bombay .....	May 29-Oct. 22 .....	.....	386	
Calcutta .....	May 12-Oct. 5 .....	.....	765	
Cochin .....	May 4-Oct. 4 .....	.....	93	
Kashmir .....	May 11-July 9 .....	10,555	6,563	From Nov. 1 to June 29, 16,676 cases and 9,705 deaths.
Madras .....	July 6-Oct. 18 .....	.....	586	
Moulmine .....	May 5-July 27 .....	42	1	
Rangoon .....	May 12-Oct. 12 .....	.....	40	
Japan, general .....	Sept. 1-Oct. 5 .....	2,944	736	
Chiba pref. ....	Oct. 19-21 .....	28	6	
Ehime Ken. ....	Sept. 1-13 .....	2	.....	
Formosa .....	Sept. 8-Oct. 5 .....	2	1	
Fukawa .....	To Oct. 5 .....	961	.....	
Fukuoka Ken .....	Aug. 19-Sept. 13 .....	687	.....	
Moji .....	Aug. 19-Oct. 8 .....	512	400	And 83 cases in vicinity Sept. 9. Present.
Haneda .....	Oct. 19 .....	.....	.....	
Hieroshima Ken .....	Sept. 1-Oct. 8 .....	30	.....	
Hyogo Ken .....	Aug. 24-Sept. 13 .....	102	.....	
Kobé .....	Aug. 24-Oct. 26 .....	432	110	
Kagashima .....	Sept. 1-Oct. 5 .....	15	.....	
Kagawa Ken .....	Sept. 1-Oct. 12 .....	28	.....	
Nagasaki Ken .....	Aug. 30-Oct. 12 .....	61	2	Imported from Moji. 14 cases daily.
Nagatsu .....	Aug. 31 .....	.....	.....	
Nara .....	Sept. 1 .....	1	.....	
Ohita Ken .....	Sept. 1-Oct. 12 .....	120	.....	
Okayama .....	Sept. 1-Oct. 12 .....	10	.....	
Okugori .....	Sept. 1-9 .....	27	.....	

<sup>a</sup> Cases among foreigners, deaths among natives.